


# ULTIMATION

AN MCE COMPANY

## PRORUNNER MK5-MK5 XL-VERTICAL CONVEYOR



Also available in stainless steel



Up to -22 F



Key Components for material handling:

- Vertical Sorting
- Palletising Modules
- Sorting & Buffering
- Pallet Stackers
- Safety Fencing

## Advantages of the PRORUNNER® MK5

- Line feed and cross feed
- No start-/stop movements
- Easy access to product carrier
- Possibility for in and out feed at multiple levels
- Number of carriers provide capacity (not speed)
- Can be used as vertical sorter
- No critical product transitions
- Drive system is protected inside the column
- C-lift or Z-lift configurations possible
- Can be used as a cross transfer
- Admits product infeed from side and front
- Carrier always remains horizontal
- Low noise




Key Components for material handling:

- Vertical Sorting
- Palletising Modules
- Sorting & Buffering
- Pallet Stackers
- Safety Fencing

Specifications Prorunner MK5 / MK5 XL		PR MK5 Basic	PR MK5 Optional up to	PR MK5 XL Basic	PR MK5 / XL Optional up to
Min. In / Outfeed	inch.	26.61	20.71	31.96	31.96
Max. In / Outfeed	inch.	97.71	757.16	111.6	682.48
Capacity	p/hour	400	2000	400	1650
Product (max LxW) *	inch.	23.6 x 24	23.6 x 24	35.43 x 24	35.43 x 24
Weight	lb.	44	110	44	110

\* Length side always parallel to lift column (=SSL side in/outfeed, LSL front in/outfeed).



Key Components for material handling:

- Vertical Sorting
- Palletising Modules
- Sorting & Buffering
- Pallet Stackers
- Safety Fencing

Customer: \_\_\_\_\_

E-mail: \_\_\_\_\_

Product: \_\_\_\_\_

Product sizes: min. .... X ..... X ..... inch.  
max. .... X ..... X ..... inch.

Capacity: min. .... p/min. max. .... p/min.

Product weight: min. .... Lb. max. .... Lb.

Product orientation infeed: Short Side Leading Long Side Leading

Product orientation outfeed: Short Side Leading Long Side Leading

Product infeed height: ..... inch.

Product outfeed height: .....

Infeed conveyor: Driven Gravity

Outfeed conveyor: Driven Gravity

Sensors included: Yes No

Safety fencing: Yes No

Safety fencing door: Yes No

Lay-out: Send to info@ultimation.net

Environment conditions: \_\_\_\_\_

Remarks: \_\_\_\_\_



	ELEVATE	DESCEND
TOP		
BOTTOM		
Not possible: B1, B2, C3, C4, 5F, 6F, 7G, 8G		

Suitable for

- Carton Trays • Bins • Tires • Books • Cardboard boxes • Shrink wrapped products • Soft parcels • Magazines
- Newspaper bundles • Frozen foods • Trays • Packaged bottles • Boxes • Bags • Totes

Disclaimer: This document is for informational en promotional purposes only.  
All orders are subject to the Qimarox terms and conditions and Qimarox's written confirmation. Copyright © 2022 Qimarox